UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/616,518	07/10/2003	Takeaki Nakamura	16809	1191	
	7590 04/25/200 TT MURPHY & PRES	EXAMINER			
400 GARDEN		DAWSON, GLENN K			
SUITE 300 GARDEN CITY, NY 11530			ART UNIT	PAPER NUMBER	
	•	3731			
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVER	DELIVERY MODE	
3 MO	NTHS	04/25/2007	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

				$ \epsilon$		
Office Action Summary		Application No.	Applicant(s)			
		10/616,518	NAKAMURA ET AL.			
		Examiner	Art Unit			
		Glenn K. Dawson	3731			
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet w	ith the correspondence addre	?ss		
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING Donsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period ourse to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNI 36(a). In no event, however, may a will apply and will expire SIX (6) MOI cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this comm BANDONED (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on 30 M	larch 2007.				
·	This action is FINAL . 2b) This action is non-final.					
3)∟	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.). 11, 453 O.G. 213.			
Disposit	ion of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1,8,11,14,18,20,21,28 and 31 is/are page 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1,8,11,14,18,20,21,28 and 31 is/are racclaim(s) is/are objected to. Claim(s) are subject to restriction and/or	wn from consideration.	•			
	ion Papers	·				
	The specification is objected to by the Examine	ar				
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
	Applicant may not request that any objection to the	, -				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)	The oath or declaration is objected to by the Ex	caminer. Note the attache	d Office Action or form PTO-	152.		
Priority (under 35 U.S.C. § 119			•		
a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau See the attached detailed Office action for a list	s have been received. s have been received in A rity documents have beer u (PCT Rule 17.2(a)).	Application No received in this National Sta	age		
Attachmen	• •	. □	O			
2) Notice 3) Information	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application			

Application/Control Number: 10/616,518

Art Unit: 3731

Response to Amendment

The After Final Amendment of 03-30-2007 has been entered.

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, one single embodiment having the probes arranged coaxially or concentrically and the probe arrangement being formed by dividing a cylindrical or circular shaped tube in the longitudinal direction and the two probes having the same central axis must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner,

the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Page 3

Claims 1,8,11,14,18,20,21,28 and 31 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

The specification does not provide support for a single embodiment having the probes arranged coaxially or concentrically and the probe arrangement being formed by dividing a cylindrical or circular shaped tube in the longitudinal direction and the two probes having the same central axis.

Fig. 1,3,5 and 6 show the probes being coaxial or concentric or sharing the same central axis; but only fig. 13-15 show the probe arrangement formed by longitudinally dividing a cylindrical or circular tube in the longitudinal direction.

The dependent claims also add limitations which do not coincide with all the disclosed embodiments so the applicant is encouraged to make sure that none of the pending claims include limitations of more than one disclosed embodiment.

Application/Control Number: 10/616,518

Art Unit: 3731

Response to Arguments

Applicant's arguments with respect to all the pending claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Glenn K. Dawson whose telephone number is 571-272-4694. The examiner can normally be reached on M-Th 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan T. Nguyen can be reached on 571-272-4963. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/616,518

Art Unit: 3731

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Glern K Dawson Primary Examiner Art Unit 3731

Gkd 17 April 2007